

September 2019

NBC 2019 AE Div A

Safety Codes Council 500 10405 Jasper Ave. NW Edmonton, AB T5J-3N4 780-413-0099 | 1-888-413-0099 www.safetycodes.ab.ca




Red strikethrough = deleted text

<u>Blue underline</u> = New text

ABC 2014	NBC(AE) 2019	Comments
1.1.1.1. Application of this Code	1.1.1.1. Application of this Code	
 5) This Code does not apply to a) a building of low human occupancy associated with the operation of the farm or acreage on which it is located, where the building is used for the i) housing of livestock, ii) storage or maintenance of equipment, or iii) storage of materials or produce, 	 5) This Code does not apply to a) a building of low human occupancy associated with the operation of the farm or acreage on which it is located, where the building is used for the i) housing of livestock, ii) storage or maintenance of equipment, or iii) storage of materials or produce, 	
 1.2.2.4. Asbestos 1) Except as permitted by Sentence (2), no person shall install any product that has a potential for releasing asbestos fibres in a <i>building</i>. 2) Asbestos-cement board and asbestos-cement pipe are permitted to be used in a <i>building</i> but not in a supply or return air system. 	 1.2.2.4. Asbestos 1) Except as permitted by Sentence (2), no person shall install any product that has a potential for releasing asbestos fibres in a <i>building</i>. Products containing asbestos shall not be installed in a <i>building</i>. 2) Asbestos cement board and asbestos cement pipe are permitted to be used in a <i>building</i> but not in a supply or return air system. 	
1.3.3.4. Building Size Determination	1.3.3.4. Building Size Determination	
 2) Except as permitted in Sentence (3), where portions of a <i>building</i> are completely separated by a vertical <i>fire separation</i> that has a <i>fire-resistance rating</i> of not less than 1 h and extends through all <i>storeys</i> and <i>service spaces</i> of the separated portions, each separated portion is permitted to be considered as a separate <i>building</i> for the purpose of determining <i>building height</i>, provided a) each separated portion is not more than 4 <i>storeys</i> in <i>building height</i> and is used only for <i>assembly</i>, <i>residential</i>, <i>business and personal services</i>, and <i>mercantile occupancies</i>, and b) the unobstructed path of travel for a firefighter from the nearest <i>street</i> to one entrance of each separated portion is not more than 45 m. 	 2) Except as permitted in Sentence (3), where portions of a <i>building</i> are completely separated by a vertical <i>fire separation</i> that has a <i>fire-resistance rating</i> of not less than 1 h and extends through all <i>storeys</i> and <i>service spaces</i> of the separated portions, each separated portion is permitted to be considered as a separate <i>building</i> for the purpose of determining <i>building height</i>, provided a) each separated portion is not more than 4 <i>storeys</i> in <i>building height</i> and is used only for <i>assembly</i>, <i>residential</i>, <u>and</u> <i>business and personal services</i>, <u>and</u> <i>mercantile occupancies</i>, and b) the unobstructed path of travel for a firefighter from the nearest <i>street</i> to one entrance of each separated portion is not more than 45 m. 	
1.4.1.2. Defined Terms	1.4.1.2. Defined Terms <u>Apparent sound transmission class (ASTC) means a single number rating of the</u> <u>airborne sound attenuation of building assemblies separating two adjoining spaces,</u> <u>taking into account both the direct and flanking sound transmission paths. (See Note</u> A-1.4.1.2.(1).) (See also Note A-9.11. of Division B.)	
<i>Chief Building Administrator</i> means a person in the building discipline appointed as an Administrator under the Safety Codes Act.	ChiefProvincial Building Administrator means a person in the building discipline appointed as an Administrator under the Safety Codes Act.	

www.safetycodes.ab.ca



www.safetycodes.ab.ca



registered guests, *owners*, tenants, students or members, as the case may be, and their guests,

- (b) operated on the premises of a recreational camp for use by campers and their visitors and camp personnel, or
- (c) operated in conjunction with
 - (i) a day nursery,
 - (ii) a day camp,
 - (iii) an institution for the care or treatment of the ill, aged or infirm, or
 - (iv) an institution housing persons in custodial care, and includes a *private* swimming pool that is used by a charitable, religious, community or service organization for the purpose of providing swimming lessons.

Slow-burning solid-fuel-fired appliance means an *appliance* that has provision, including gasketed or machined areas on the loading doors, to control the rate of combustion to a pointwhere the formation of creosote in the *chimney flue* is a distinct possibility. (These are also referred to as airtight stoves.)

Thermal barrier means a membrane used to protect a *foamed plastic* or other *combustible* material from the effects of heat and flame for a specified period of time.

Walkway means a covered or roofed pedestrian thoroughfare not more than 9 m wide that is used to connect 2 or more *buildings*.

ase may	entirely to the registered guests, <i>owners</i> , tenants, students or members, as
	the case may be, and their guests,
ers and	(b) operated on the premises of a recreational camp for use by campers and
	their visitors and camp personnel, or
	(c) operated in conjunction with
	(i) a day nursery,
	(ii) a day camp,
n, or	(iii) an institution for the <i>care</i> or <i>treatment</i> of the ill, aged or infirm, or
a private	(iv) an institution housing persons in custodial care, and includes a <i>private</i>
ity or	swimming pool that is used by a charitable, religious, community or
ssons.	service organization for the purpose of providing swimming lessons.
on,	Slow-burning solid-fuel-fired appliance means an appliance that has provision,
ate of	including gasketed or machined areas on the loading doors, to control the rate of
is a	combustion to a pointwhere the formation of creosote in the chimney flue is a
	distinct possibility. (These are also referred to as airtight stoves.)
	Solid masonry means a single wythe or multi-wythe construction made of solid
	masonry units or semi-solid, cored, or hollow masonry units, the cells of which may or
	may not be filled with mortar or grout. In multi-wythe masonry construction, the
	space between the wythes consists of a mortar-filled collar joint or grout-filled space
	and the wythes may or may not be constructed of the same masonry materials.
	Solid masonry unit means a concrete block or brick unit, a clay brick unit, or calcium
	silicate brick unit whose net solid area is at least 75% of its gross area. (See Note A-
	1.4.1.2.(1).)
	Sound transmission class (STC) means a single number rating of the airborne sound
	attenuation of a building assembly separating two adjoining spaces, taking into
	account the direct sound transmission path. (See Note A-1.4.1.2.(1).) (See also Note
	A-9.11. of Division B.)
	Tapered tread means a tread with non-parallel edges that increases or decreases its
	run uniformly over its width.

Thermal barrier means a membrane used to protect a *foamed plastic* or other *combustible* material from the effects of heat and flame for a specified period of time.

Walkway means a covered or roofed pedestrian thoroughfare not more than 9 m wide that is used to connect 2 or more buildings.